

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12657	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L2	31820	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L3	2027	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L4	12214	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L5	46	L1 and L2 and L3 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L6	21338712	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 14:50
L7	32	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L8	31	L7 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05

L9	31	L8 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L10	31	L9 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L11	27	L10 and (update\$3 with (resource allocation\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L12	26	L11 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L13	27	L11 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L14	19	L11 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L15	0	L14 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L16	0	L14 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05

L17	14	L14 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L18	19	L11 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L19	21	L13 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L20	12657	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L21	31820	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L22	2027	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L23	12214	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L24	46	L20 and L21 and L22 and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05

L25	21338712	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L26	32	L24 and L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L27	31	L26 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L28	31	L27 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L29	31	L28 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L30	27	L29 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L31	26	L30 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L32	27	L30 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05

L33	19	L30 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L34	0	L33 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L35	0	L33 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L36	31	L26 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L37	27	L29 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L38	14	L33 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L39	19	L30 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L40	21	L32 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 13:05
L41	1	(US-6661788-\$).did.	USPAT	OR	OFF	2005/01/09 13:30
L42	0	L41 and pend\$3 with request with (pointer vector)	USPAT	OR	ON	2005/01/09 13:05

L43	1	L41 and pend\$3 with request	USPAT	OR	ON	2005/01/09 13:13
L44	1806	verilog and vhdl	US-PGPUB; USPAT	OR	ON	2005/01/09 13:07
L45	1092	6 and 44	US-PGPUB; USPAT	OR	ON	2005/01/09 13:07
L46	462	45 and resource	US-PGPUB; USPAT	OR	ON	2005/01/09 13:07
L47	98	45 and (resource with allocat\$4)	US-PGPUB; USPAT	OR	ON	2005/01/09 13:08
L48	7	"370"/\$.ccls. and 47	US-PGPUB; USPAT	OR	ON	2005/01/09 15:01
L55	10	(order adj appear\$4) with (list stack queue) with (pointer vector)	USPAT	OR	ON	2005/01/09 16:23
L56	10	25 and 55	USPAT	OR	ON	2005/01/09 13:29
L57	0	(order adj appear\$4) with (list stack queue) with (pointer vector) with direction	USPAT	OR	ON	2005/01/09 13:29
L68	0	(list with resource with ordered with appearance)	USPAT	OR	ON	2005/01/09 14:49
L69	4841	(order adj3 appearance)	USPAT	OR	ON	2005/01/09 15:01
L70	3	69 with resource	USPAT	OR	ON	2005/01/09 14:49
L71	20	25 and 40	USPAT	OR	ON	2005/01/09 14:50
L72	3	6 and 70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 14:55
L73	3448	(order adj3 listed)	USPAT	OR	ON	2005/01/09 15:01
L74	58	"370"/\$.ccls. and 73	US-PGPUB; USPAT	OR	ON	2005/01/09 15:01
L75	56	6 and 74	US-PGPUB; USPAT	OR	ON	2005/01/09 15:02
L76	1	41 and (memory storage)	USPAT	OR	OFF	2005/01/09 15:45
L77	0	41 and exclud\$3	USPAT	OR	ON	2005/01/09 16:23
L78	1	41 and second	USPAT	OR	ON	2005/01/09 16:23
L79	1	41 and next	USPAT	OR	ON	2005/01/09 16:25
L80	1	41 and table	USPAT	OR	ON	2005/01/09 16:25
S1	12657	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:22

S2	31820	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:22
S3	2027	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:22
S4	12214	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:23
S5	46	S1 and S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:24
S6	21338712	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:24
S7	32	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:25
S8	31	S7 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:28
S9	31	S8 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:29

S10	31	S9 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:29
S11	27	S10 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:30
S12	26	S11 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:31
S13	27	S11 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:34
S14	19	S11 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:34
S15	0	S14 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:33
S16	0	S14 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:34
S17	14	S14 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:34

S18	21	S13 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 20:34
S19	12657	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S20	31820	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S21	2027	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S22	12214	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S23	46	S19 and S20 and S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S24	21338712	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S25	32	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51

S26	31	S25 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S27	31	S26 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S28	31	S27 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S29	27	S28 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S30	26	S29 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S31	27	S29 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S32	19	S29 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S33	0	S32 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51

S34	0	S32 and vhdI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S35	14	S32 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S36	19	S29 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S37	21	S31 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 11:51
S38	1	(US-6661788-\$.did.	USPAT	OR	OFF	2005/01/09 12:01
S39	0	S38 and pend\$3 with request with (pointer vector)	USPAT	OR	ON	2005/01/09 12:02
S40	1	S38 and pend\$3 with request	USPAT	OR	ON	2005/01/09 12:02